HIGH TECH CUTTING EDGE TECHNOLOGY

SOPIX® X-ray systems integrate (Fiber-optic based CMOS) technology

SOPIX

DIGITAL DENTAL SENSOR

CMOS

Fiber-optic

Scintillator























Competitor sensor at 0.20 seconds



CONSISTENT IMAGE QUALITY High-definition images and striking contrast are

achieved to greatly simplify diagnosis



PURCHASE A SOPIX® SENSOR AND RECEIVE A 5-YEAR SOPRO EXTENDED WARRANTY

technology

CONVENIENT

Simple to use software allows for a shortened learning curve. Quick full mouth X-Rays ensure limited anesthesia time.


EASY

As a result of years of research into the specific needs of veterinary dentistry, **SOPIX**[®] introduces the integration of patented \triangle technology with a fiber optic-based CMOS chip.

controls the amount of X-ray accumulated by the sensor, ensuring that all images are optimal and never overexposed. Now you can see pathology such as tooth resorption detail and see through the zygomatic arch. Bone trabeculation and lamina dura are clearly visible. **SOPIX**[®] greatly reduces staff frustration by always producing an image with perfect exposure, which saves time and money by eliminating the need to take multiple shots.

FUNCTIONAL

The oscilloscope is a diagnostic tool which allows for accurate support the first time when testing your x-ray and computer.



SMART

Test the USB port of the computer to make sure the proper voltage is being supplied.

	Size 1	Size 2	
Serial number	101626	Firmware revision	500090F
CPLD version	1D	Number of exposures	2914
JSB 5.0 V			